

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/616,866	07/10/2003	Carl Mies	895,080-017	1462
7590 03/19/2008			EXAMINER	
GLEN M. KUBOTA MORRISON & FOERSTER, LLP 555 WEST FIFTH STREET LOS ANGELES, CA 90013			PHAN, TRI H	
			ART UNIT	PAPER NUMBER
			2616	
			MAIL DATE	DELIVERY MODE
			03/19/2008	PAPER

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed $\frac{\sqrt{2-15-03}}{}$ have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.
Figures are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.
Figures are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.
Anniliared is required to connect the above noted inconsistency within a time period of ONE MONTH or

Applicant is required to correct the above-noted inconsistency within a time period of ONE MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b).

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

571-272-4200 or 1-888-786-0101 **Application Assistance Unit** Office of Data Management